Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-5 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	1	2	1	0%
St. Louis County	5	1	-4	0%
Kansas City	2	0	-2	0%
Springfield/Greene	0	0	0	0%
Region(excluding Metropolitan areas)	 		 	
Northwestern	3	1	-2	100%
Central	0	1	1	100%
Southeastern	4	3	-1	33%
Southwestern	0	0	0	0%
Eastern	1	1	0	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	16	9	-7	33%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-9 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	2	5	3	0%
St. Louis County	6	2	-4	50%
Kansas City	2	0	-2	0%
Springfield/Greene	0	0	0	0%
Region(excluding Metropolitan areas)	<u> </u>			
Northwestern	4	1	-3	100%
Central	1	1	0	100%
Southeastern	4	3	-1	33%
Southwestern	0	0	0	0%
Eastern	1 1	3	2	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	20	15	-5	27%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-13 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	2	5	3	0%
St. Louis County	6	3	-3	33%
Kansas City	2	0	-2	0%
Springfield/Greene	1	0	-1	0%
Region(excluding Metropolitan areas)	 		 	
Northwestern	4	1	-3	100%
Central	1	1	0	100%
Southeastern	4	3	-1	33%
Southwestern	2	0	-2	0%
Eastern	11	3	2	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	23	16	-7	25%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-17 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	3	8	5	50%
St. Louis County	6	5	-1	20%
Kansas City	4	0	-4	0%
Springfield/Greene	1	0	-1	0%
Region(excluding Metropolitan areas)	 		 	
Northwestern	7	1	-6	100%
Central	2	1	-1	100%
Southeastern	4	3	-1	33%
Southwestern	3	1	-2	0%
Eastern	1 1	2	1	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	31	21	-10	38%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-22 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	4	8	4	50%
St. Louis County	9	5	-4	40%
Kansas City	5	1	-4	0%
Springfield/Greene	1	0	-1	0%
Region(excluding Metropolitan areas)	 			
Northwestern	8	1	-7	100%
Central	2	1	-1	100%
Southeastern	5	3	-2	33%
Southwestern	5	4	-1	0%
Eastern	1	2	1	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	40	25	-15	36%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-26 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	4	10	6	40%
St. Louis County	9	6	-3	33%
Kansas City	6	1	-5	0%
Springfield/Greene	1	0	-1	0%
Region(excluding Metropolitan areas)	 		 	
Northwestern	8	1	-7	100%
Central	2	1	-1	100%
Southeastern	5	3	-2	33%
Southwestern	7	5	-2	0%
Eastern	1	2	1	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	43	29	-14	31%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-31 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	5	10	5	40%
St. Louis County	12	6	-6	33%
Kansas City	6	2	-4	0%
Springfield/Greene	1	1	0	0%
Region(excluding Metropolitan areas)	 			
Northwestern	9	2	-7	50%
Central	3	1	-2	100%
Southeastern	6	3	-3	33%
Southwestern	8	5	-3	0%
Eastern	2	3	1	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	52	33	-19	27%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-35 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	5	11	6	36%
St. Louis County	12	7	-5	29%
Kansas City	7	5	-2	0%
Springfield/Greene	1	2	1	0%
Region(excluding Metropolitan areas)				
Northwestern	9	4	-5	25%
Central	4	2	-2	100%
Southeastern	7	5	-2	40%
Southwestern	9	6	-3	0%
Eastern	3	3	0	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	58	45	-13	24%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-40 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	5	11	6	36%
St. Louis County	14	10	-4	20%
Kansas City	7	5	-2	0%
Springfield/Greene	1	2	1	0%
Region(excluding Metropolitan areas)	 		 	
Northwestern	12	6	-6	17%
Central	5	3	-2	67%
Southeastern	7	5	-2	40%
Southwestern	9	6	-3	0%
Eastern	5	3	-2	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	66	51	-15	22%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-44 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	9	11	2	36%
St. Louis County	16	10	-6	20%
Kansas City	8	5	-3	20%
Springfield/Greene	1	2	1	0%
Region(excluding Metropolitan areas)	 			
Northwestern	12	6	-6	17%
Central	6	3	-3	67%
Southeastern	7	5	-2	40%
Southwestern	9	6	-3	0%
Eastern	5	3	-2	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	74	51	-23	24%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-48 2019 versus 2020

Geographic Area	Number of Counted Cases: 2019	Number of Counted Cases: 2020	Differences in Number of Counted Cases: 2019 to 2020	Percent of 2020 Cases that were Preventable
St. Louis City	10	8	-2	0%
St. Louis County	12	13	1	0%
Kansas City	9	11	2	18%
Springfield/Greene	3	3	0	0%
Region(excluding Metropolitan areas)	 		 	
Northwestern	10	5	-5	0%
Central	4	1	-3	0%
Southeastern	7	3	-4	33%
Southwestern	8	4	-4	50%
Eastern	4	11	7	9%
Institutionalized Patients*	0	1	1	0%
TOTAL**	67	60	-7	10%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2020 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-52 2018 versus 2019

Geographic Area	Number of Counted Cases: 2018	Number of Counted Cases: 2019	Differences in Number of Counted Cases: 2018 to 2019	Percent of 2019 Cases that were Preventable
St. Louis City	10	12	2	33%
St. Louis County	16	10	-6	20%
Kansas City	9	9	0	11%
Springfield/Greene	2	4	2	0%
Region(excluding Metropolitan areas)	 		 	
Northwestern	13	8	-5	13%
Central	7	3	-4	67%
Southeastern	7	7	0	29%
Southwestern	9	6	-3	0%
Eastern	6	3	-3	0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	80	62	-18	19%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2019 counted cases.